

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and the shortest cycle time of 59 min for high laundry throughput.



- Drum volume 64 l, load capacity 7.0 kg
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Thorough cleaning with standard washing programmes



EAN: 4002516413813 / Material number: 11693340 / Old Material Number: 51307172GB

Construction type and design

Construction type	Front-loader, stackable
Range	Evolution
Front	Lotos white
Load in kg	7.0
Drum volume in l	64
Door opening [Ø] in mm	300
Door opening angle in degrees	167
Door hinge	right
Maintenance-free synchronous motor	•
Honeycomb drum with perforated drum rear panel	•

Application

Suitable for the hotel and catering industry	•
Suitable for residential homes and apartments	•
Suitable for small businesses	•
Suitable for universities, nurseries, and schools	•
Suitable for camp sites	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for domestic use	•
Suitable for amusement parks & holiday complexes	•
Suitable for state/community care facilities	•

Performance data

Tested virucidal efficacy	•
Specific water consumption for cold water connection in l/kg	7.00
Specific energy consumption for cold water connection in kWh/kg	0.14
Water consumption with cold water connection in l	49.0
Energy consumption with cold water connection in kW	0.98
Programme duration in minutes with cold water connection	59
Residual moisture with cold rinse in %	48
Spin speed in rpm	1600
g factor	704
Tested operating hours	30000

Controls

Control system	M Select
Programmability	programmable
Max. delay start in h	24
Time left display	•
Programme sequence indicator	•
Control panel with easy-to-understand symbols	•
Language can be selected easily at any time	•

Standard and target group Programmes

Basic programmes	•
------------------	---

Dispensing

Detergent drawer	3 compartments
CapDosing	•

Standard electrical connection

Heating type	Electrical
--------------	------------

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and the shortest cycle time of 59 min for high laundry throughput.



EAN: 4002516413813 / Material number: 11693340 / Old Material Number: 51307172GB

Electrical connection	230V~ 50HZ
Heater rating in kW	2.30
Total connected load in kW	2.50
Fuse rating in A	13
Water connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th. union
Drain pump	DN 22
Dimensions and weight	
External dimensions, height in mm	850
External dimensions, width in mm	596
External dimensions, depth in mm	714
External dimensions, gross height in mm	944
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	768
Net weight in kg	98.0
Gross weight in kg	102
Emissions data	
Emission sound pressure level in the workplace	<70 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	1.00
Features	
3-dimensional imbalance monitoring	•
Commercial shock absorbers	•
Hard-wearing stainless-steel flange	•
Disinfection rinse	•
EcoSpeed	•
Pre-ironing	•
Efficient drum rib technology	•
Temperature monitoring	•
Special heater element	•
Automatic load control	•
Flow meter	•
Machine-independent accessories	•
Efficiency and sustainability	
Load size for the "Eco 40–60" programme in kg	7.0
Energy efficiency class (A–G)	A
Spin efficiency class (A–G)	A
Weighted energy consumption per 100 cycles in the "Eco 40–60" programme in kWh	45
Weighted water consumption per cycle in the "Eco 40–60" programme in l	37
Airborne noise emission rating (spin cycle) (A–D)	A
Airborne noise emission during spin cycle in dB(A) re 1 pW	72
Airborne noise emission during spin cycle in dB(A) re 1 pW	199
Recycling rate in %	95
Connection options	
Payment system (optional)	•
Optical interface for service access	•
WiFiConn@ct	•
Test certificate	
CE	•

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump and the shortest cycle time of 59 min for high laundry throughput.



EAN: 4002516413813 / Material number: 11693340 / Old Material Number: 51307172GB

VDE-EMC

•

VDE

•

Splash-proof safety rating IPX4

•

WRAS

•

WEEE

•

Complies with Machinery Directive 2006/42/EC

•